



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 3 N

R 1 W

Township No 3. South of Range No 1 West of the 2nd Mer. Line.

South Boundary

B.1

- East On the South Boundary of Sec. 36. T. 3. N. R. 17 W.
 Bearings at the cor. of Sec. 36 & 35. T. 3. N. R. 17 W.
 a Dogwood 7 in dia' beam N 59 W. 21 lbs dist. to,
 Walnut 7 " " N 76 E. 12 " "
 40.00 Set a 1/2 suppost from which,
 Dogwood 7 in dia' beam S 32 W. 5 lbs dist. to,
 Elm. 8 " " " N 66 E. 28 " "
 53.00 Intersect the East Boundary of the Vincennes Tract, & set
 a post cor. of Sec. 36 & 11. T. 2 & 3. N. R. 17 W. from which,
 Dogwood 8 in dia' beam S 24 E. 20 lbs dist. to,
 Red Oak 7 " " " N 48 E. 25 " "
 Line continued by Arthur Harris from 1/2 suppost.
 on the S. Side of Sec. 36.
 40.10. Intersected the 2nd Meridian 400 lbs North of the cor. of
 T. 2 & 3. N. R. 1 E. & set a post at the intersection from which
 (whose length 80.10) a Elm 20 in dia' beam N 70 W. 11 lbs dist. to,
 Red Oak 30 " " " N 84 E. 26 " "
 This 1/2 mile was good farming land. Timber Oak, Hickory,
 Sugar & Walnut. &c.

- West On the South Boundary of Sec. 35. T. 3. N. R. 17 W.
 40.00 Set a 1/2 suppost from which,
 Red Oak 11 in dia' beam. N 70 E. 26 lbs dist. to,
 Blackberry 18 " " " S 53 W. 24 " "
 80.00 Set a post further cor. of Sec. 34 & 35. from which,
 Oak 14 in dia' beam S 44 E. 6 lbs dist. to,
 Red Oak 7 " " " N 44 W. 6 " "
 Land 1/2 mile Hill. Timber Walnut, Sugar, Blackberry,
 Oak &c.

- West On the South Boundary of Sec. 34. T. 3. N. R. 17 W.
 40.00 Set a 1/2 suppost from which,

T. A. 3. N. R. No 1 W. 2nd. M. Ind.

North	On the East Boundary of sec. 25 T. 3. N. R. 1 W. from the post co of sec 25 & 30 on the corner.
38.00	An Elm 10 in dia. stands further co of 70 sec.
78.00	Set a post further co of sec 24 & 25 from which a Log mark 7 in dia. bears N 36 W. 19 lks dist; to, W Oak 20 " " S 47 W. 44 " " Sunde R. Praty hill; flat ridges; Timber Poplar. 23 Walnut; Sugar, Oak &c.
North	On the East Boundary of sec. 24 T. 3. N. R. 1 W.
37.75	A Log mark 7 in dia. stands further co of sec 19 & 24 T. 3. N. R. 1 E & 1 W. standing on the corner line. Sunde and timber same as last mile.
North	From the corner of sec. 24 & 25. On the East Boundary of sec. 24
40.00	Set a post further from which a Hick 10 in dia. bears S 42 W. 7 lks dist; to, W Oak 8 " " N 27 W. 14 " "
80.00	Set a post further co of sec 13 & 24 from which a Hick 12 in dia. bears S 85 E. 19 lks dist; to, W Oak 12 " " N 69 W. 12 " " Sunde good for farming; Timber Oak & Hick; 11 growth Spruce.
North	On the East Boundary of sec. 13 T. 3. N. R. 1 W.
7.69	Set a W Oak 12 in dia. in the line.
40.00	Set a post further from which a Hick 10 in dia. bears S 12 W. 11 lks dist; to, Log mark 5 " " N 20 E. 16 " "
72.10	Set a W Oak 30 in dia. in the line.
80.00	Set a post further co of sec 12 & 13 from which a Log mark 8 in dia. bears N 65 E. 9 lks dist; to, No. 9 " " S 6 W. 10 " " Sunde Timber & 11 growth.

T. A. 3. N. R. No 1 W. 2nd. M. Ind.

North	On the East Boundary of sec. 12 T. 3. N. R. No 1 W.
40.00	Set a post further from which a Log mark 6 in dia. bears S 46 E. 10 lks dist; to, Hick 10 " " S 49 W. 14 " "
80.00	Set a post further co of sec. 14 & 12 from which a Hick 12 in dia. bears S 5 E. 24 lks dist; to, W Oak 10 " " N 66 W. 11 " " Sunde very bushy Timber Oak, Hick, Granberry. A number of sink holes; no water in them.
North	On the East Boundary of sec. 1 T. 3. N. R. 1 W.
40.00	Set a post further from which a W Oak 15 in dia. bears S 68 E. 19 lks dist; to, No. 18 " " S 62 W. 25 " "
80.00	Set a post further co of T. 3 W. N. R. 1 E & 1 W. from which a Poplar 11 in dia. bears S 57 W. 13 lks dist; to, W Oak 10 " " N 18 E. 33 " " Sunde the same.
East	On a Random line On the South Boundary of sec. 31 T. 4. N. R. 1 W.
40.00	Set a timber post further.
80.00	" " post further co of sec 31 & 32. Sunde good for farming 11 growth Spruce.
East	On a Random line On the South Boundary of sec. 32 T. 4. N. R. 1 W.
40.00	Set a timber post further.
80.00	Set a timber post on the third line further co of sec. 32 & 33. Sunde very bushy Timber Oak & Hick.
East	On a Random line On the South Boundary of sec. 33

T. N. 3. N. R. N. 177 2nd Mer. Ind.

T. N. 3. N. R. N. 177 2nd Mer.	
4000	Set a trap for 2nd post.
8000	Set a post for the ca of sec 33 & 34 Lands the same.
East	On a Random line On the South Boundary of sec. 34 T. N. 3. N. R. 177
4000	Set a trap for 2nd post.
8000	Set a post for the ca of sec 34 & 35. Lands the same many, little holes.
East	On a Random line On the South Boundary of sec. 35. T. N. 3. N. R. 177
4000	Set a trap for 2nd post.
8000	Set a trap post for the ca of sec. 35 & 36. Lands the same.
East	On a Random line On the South Boundary of sec. 36. T. N. 3. N. R. 177
4000	Set a trap for 2nd post.
8000	Set a post the Meridian at the ca of T. N. 3. N. R. 177. Lands the same.
West	On the true line On the South Boundary of sec. 36. T. N. 3. N. R. 177
4000	Set the trap for 2nd post on the true line from which, Hick 10 in dia. beam. N 25 E 20 lbs dist; 70, Logwood 5 " " S 45 W 20 " "
8000	Set the trap post on the true line for the ca of sec 35 & 36. from which, B Oak 18 in dia. beam. S 69 W 7 lbs dist and a Maple 10 " " S 67 E 28 " "
West	On the true line On the South Boundary of sec. 35.

T. N. 3. N. R. N. 177 2nd Mer. Ind.

T. N. 3. N. R. N. 177 2nd Mer.	
T. N. 4. N. R. 177	
4000	Set a post for 2nd post from which, Hick 12 in dia. beam. West 30 lbs dist; 70,
8000	Set a post for the ca of sec 34 & 35 from which, Hick 18 in dia. beam. N 69 E 11 lbs dist; 70, B Walnut 10 " " S 62 W 7 " "
West	On the true line On the South Boundary of sec. 34. T. N. 4. N. R. 177
4000	Set a post for 2nd post from which, (true line) W Oak 24 in dia. beam. N 65 E 25 lbs dist; 70, B Oak 24 " " S 11 W 14 " "
8000	Set the trap post on the true line for the ca of sec. 35 & 36 from which, Hick 12 in dia. beam. West 58 lbs dist
West	On the true line On the South Boundary of sec. 35. T. N. 4. N. R. 177
4000	Set a post for 2nd post on the true line from which, W Oak 10 in dia. beam. N 10 E 23 lbs dist; 70, Cum. 9 " " S 30 W 31 " "
8000	Set a trap post on the true line from which, (ca. 32 & 33) Cum 10 in dia. beam. S 78 E 16 lbs dist; 70, W Oak 24 " " S 25 E 18 " "
West	On the true line On the South Boundary of sec. 32. T. N. 4. N. R. 177
4000	Set a post for 2nd post on the true line from which, Hick 10 in dia. beam. N 76 W 5 lbs dist; 70, Cum. 6 " " S 70 E 12 " "
8000	Set the trap post on the true line from which, (ca. 31 & 32) Hick 12 in dia. beam. S 32 W 9 lbs dist; 70, Logwood 6 " " N 3 E 12 " "

T. A. H. N. R. No 1 7th 2nd Mo. Ind.

West Cut the line into Cut the South Boundary of sec. 31.
T. A. H. N. R.

40.00 Set a post from which a (line line)
N Oak. 12 in diam. bears. S 38° N. 18 lbs dist;

86.00 Set the cap of S. 34° N. 172° W.

Surveyed by
Arthur Kennen. D.S.

West Boundary.

North Cut the East Boundary of sec. 36. T. A. H. N. R. 2nd Mo.

31.50 To a N Oak. 36 in diam. in the line.

40.00 A Bech. 12 in diam. stands for the cor of 74th sec.

49.00 To a N Oak. 10 in diam. in the line.

80.00 Set a post for the cor of sec. 25 & 36. from which,
Sugar. 8 in diam. bears. S 30° N. 22 lbs dist; to,

Poplar. 7 " " N 19° W. 13. "

Land 2nd rate hill; Timber Oak, Some Poplar,
Sugar, D. T. N. Walnut, &c.

North Cut the East Boundary of sec. 25 T. A. H. N. R. 2nd Mo.

32.50 To a N Oak. 18 in diam. in the line.

40.00 Set a post from which,
N Walnut. 7 in diam. bears. N 11° E. 18 lbs dist; to,

Sassafras 7 " " N 6° W. 14 " "

73.00 To a N Oak. 36 in diam. in the line.

80.00 Set a post for the cor of sec. 24 & 25 from which,
Sugar. 12 in diam. bears. N 10° E. 16 lbs dist; to,

N Oak. 12 " " S 77° W. 30 " "

Small flat ridge 12th rate.

North Cut the East Boundary of sec. 24. T. A. H. N. R. 2nd Mo.

34.28 To a N Oak. 24 in diam. stands in the line.

40.00 Set a post from which,

T. A. H. N. R. No 1 7th 2nd Mo. Ind.

Poplar 30 in diam. bears. S 33° E. 21 lbs dist; to,

Bech. 6 " " " N 51° W. 23. "

57.65 To a N Oak. 18 in diam. stands in the line.

80.00 Set a post for the cor of sec. 13 & 24. from which,
Bech. 6 in diam. bears. N 29° W. 22 lbs dist; to,

Ho. 18 " " " N 63° E. 32. "

Land 2nd rate; Timber Bech. Oak, &c. Upland.

North Cut the East Boundary of sec. 13. T. A. H. N. R. 2nd Mo.

25.60 To a Bech. 18 in diam. in the line.

40.00 Set a post from which,

Sum. 20 in diam. bears. North 29 lbs dist; to,

Dogwood 6 " " " S 8° E. 18. "

63.30 To a Poplar. 40 in diam. in the line.

80.00 Set a post for the cor of sec. 12 & 13. from which,
Bech. 16 in diam. bears. N 22° W. 50 lbs dist; to,

N Oak. 18 " " " N 76° E. 35. "

Land 2nd & 3rd rate upland; Timber Bech. Poplar,
Oak, &c.

North Cut the East Boundary of sec. 12. T. A. H. N. R. 2nd Mo.

37.13 To a N Oak. 14 in diam. in the line.

40.00 Set a post from which,

Bech. 18 in diam. bears. N 81° W. 27 lbs dist; to,

Sugar. 12 " " " N 37° E. 28. "

46.50 Set a post from which, and set a post for the cor. of
sec. 7 & 12. T. A. H. N. R. 172° W. from which,

Bech. 14 in diam. bears. S 41° W. 26 lbs dist; to,

Sugar. 11 " " " S 3° E. 16. "

Land 2nd rate upland; Timber Oak, Poplar, Bech.

& Sugar.

Surveyed by E. W. Supper, & Aug. Stone
Sept 1890.

I No 3 N.R. No 1 W 2nd Mer. Ind.

70.00	To a Gum 8 in dia. stands futher ca of sec. 23 & 24 with Boundary line of Harris in Purchase. Sands 2nd rate Gum Sugar, &c. Oak chiefly
North	Return Sec 23 & 24 I. 3. N.R. 1 W.
36.00	To an Old 7/8 suppost.
40.00	Set a 7/8 suppost from which, W Oak 8 in dia. beam. S 50 W 10 lks dist, to, N Oak 10, " " N 1 E. 24 " "
80.00	Set a post futher ca of sec 13 & 14. 23 & 24 from which W Oak 15 in dia. beam. S 77 E 23 lks dist, to, W Oak 10 " " " N 2 E 10 " " Sands rolling and bushy Timber Oak & Hickory Many sink holes
East	On a Random line between Sec 13 & 24 I. 3. N.R. 1 W.
40.00	Set a trip 7/8 suppost
81.00	Intersect the East Boundary 45 lks North of the ca of sec 13 & 24. Sands same.
West	On the new line between Sec 13 & 24 I. 3. N.R. 1 W.
40.50	Set the trip 7/8 suppost on the new line from which, W Oak 18 in dia. beam. South 8 lks dist, to, Logwood 6 " " " N 56 E. 13 " "
81.00	To the ca. of sec. 13 14. 23 & 24.
North	Return Sec 13 & 14 I. 3. N.R. 1 W.
25.00	To a 13 Oak 20 in dia. in the line.
40.00	Set a 7/8 suppost from which, Poplar 10 in dia. beam. N 85 E. 22 lks dist, to, Cedar 8 " " " N 45 E. 22 " "
80.00	Set a post futher ca of Sec 11 12 13 & 14 from which, W Oak 18 in dia. beam. N 23 E. 33 lks dist, to, Hickory 10 " " " N 27 W. 27 " "

I No 3 N.R. No 1 W 2nd Mer. Ind.

	Sands the same.
East	On a Random line between Sec 12 & 13 I. 3. N.R. 1 W.
40.00	Set a trip 7/8 suppost.
81.00	Intersect the East Boundary at the Cor. of sec. 12 & 13. Sands the same.
West	On the new line between Sec 12 & 13 I. 3. N.R. 1 W.
40.00	Set the trip 7/8 suppost on the new line from which, W Oak 15 in dia. beam. S 74 E. 9 lks dist, to, Logwood 8 " " " N 36 W. 23 " "
80.00	To the post in the new line ca of sec 11. 12. 13 & 14.
North	Return Sec 11 & 12 I. 3. N.R. 1 W.
19.50	To a Birch 10 lks into corner N.E.
40.00	Set a 7/8 suppost from which, Buck 6 in dia. beam. S 49 E. 8 lks dist, to, Do. 6 " " " N 7 E. 18 " "
80.00	Set a post futher ca of sec. 1. 2. 11. & 12 from which, Buck 8 in dia. beam. S 28 E. 14 lks dist, to, Do. 9 " " " N 84 E. 16 " " Sands flat Timber Oak & Buck Hickory &c.
East	On a Random line between Sec 1 & 12 I. 3. N.R. 1 W.
40.00	Set a trip 7/8 suppost.
81.00	Intersect the East Boundary 46 lks North of the ca of Sec 1 & 12 of Sands bushy & rolling.
West	On the new line between Sec 1 & 12 I. 3. N.R. 1 W.
40.00	Set the trip 7/8 suppost on the new line from which, Poplar 30 in dia. beam. N 26 E. 19 lks dist, to, Logwood 6 " " " S 57 W. 18 " "
80.00	To the ca of sec. 1. 2. 11 & 12

T. A. 3. N. R. No 177 2nd Mm. Ind.

North Return Dec 1st 1893 T. 3. N. R. 177.
 22.00 To a Poplar 26 in dia in the line
 40.00 Set a post from which,
 W Oak 12 in dia beam 88 N. 5 W. dist. to,
 Hick 16 " " N 1 E. 13 "
 79.94 Intersub the N. R. 177 42 W. East of the post end of
 Dec. 35 & 36 T. 3. N. R. 177 and set a post for the co.
 " 112 from which,
 Maple 10 in dia beam 83 S. E. 14 W. dist. to,
 W. 12 " " 85 S. W. 19 "
 Land flat.

North Return Dec 34 & 35 T. 3. N. R. 177.
 28.66 To a Hick 14 in dia in the line
 40.00 Set a post from which,
 Poplar 7 in dia beam 87 S. E. 17 W. dist. to,
 W Oak 7 " " 84 S. W. 13 "
 80.00 Set a post for the co. of Dec 26, 27, 34 & 35 from which,
 W Oak 14 in dia beam 83 N. 7 W. dist. to,
 Hick 11 " " N 57 E. 33 "
 Land 2nd rate Hill; Timber Oak & Hick.

Will Return Dec 26 1893 T. 3. N. R. 177.
 40.00 A Dogwood 8 in dia stands at the end of the line
 for the co of 26
 80.00 Set a post for the co of Dec 26, 27, 34 & 35.

North Return Dec 26 1893 T. 3. N. R. 177.
 29.00 To a Poplar 24 in dia stands in the line.
 40.00 A W Oak 12 in dia stands for the co of 26.
 80.00 Set a post for the co of Dec 26, 27, 36 & 37 from which,
 W Oak 14 in dia beam 84 E. 20 W. dist. to,
 Elm 7 " " 85 S. W. 11 "

T. A. 3. N. R. No 177 2nd Mm. Ind.

Land and Timber same as above

West Return Dec 23 1893 T. 3. N. R. 177.
 40.00 A Gum 12 in dia stands at the end of the line for the co of 26.
 80.00 Set a post for the co of Dec 22, 23, 26 & 27.
 Land 2nd rate hills Timber Oak & Dogwood &c.

North Return Dec 22 1893 T. 3. N. R. 177.
 21.00 To a Hick 24 in dia in the line.
 40.00 Set a post from which,
 Hick 11 in dia beam 84 N. 28 W. dist. to,
 W Cherry 18 " " N 14 E. 5 "
 52.72 To a Hick 20 in dia in the line.
 80.00 Set a post for the co of Dec 14, 15, 22, & 23 from which,
 Sugar 7 in dia beam 84 N. 10 W. dist. to,
 Dogwood 7 " " 83 E. 20 "
 Land 2nd rate and timber same as above.

East Return Dec 14 1893 T. 3. N. R. 177.
~~40.00 A W Oak 11 in dia stands for the co of 26~~
 40.00 A post for the co.
 48.00 A W Oak 11 in dia stands for the co of Dec 14 & 23 on the South B. of Harrison Purchase.
 Land 2nd rate hills; Timber Mulberry, W Walnut
 Hackberry, & Oak &c.

West Return Dec 14 1893 T. 3. N. R. 177.
 40.00 Set a post for the co.
 81.18 Intersub the N. 13 line 50 W. North of the post end of
 Dec 14 & 22 1893
 Land very brushy Timber Oak & Hick.

North Return Dec 14 1893 T. 3. N. R. 177.

I. No 3 N.R. No 177 2nd Mer. Ind.

North Return Dec 189 J. 3. N.R. 177.
 22.00 To a Poplar 20 in dia in the line
 40.00 Set a post from which,
 77 Oak 12 in dia beam 8577.5 lbs dist. to
 Hick 76 " " N 1 E. 13.
 77.94 Intersub the A. Wound 742 lbs East of the post end of
 Dec 35 186 J. 3. N.R. 177 and set a post for the co.
 119 from which,
 Maple 10 in dia beam 835 E. 14 lbs dist. to
 Dr. 12 " " 8577.19 "
 Land flat.

North Return Dec 34 185 J. 3. N.R. 177.
 25.66 To a Hick 14 in dia in the line
 40.00 Set a post from which,
 Poplar 7 in dia beam N 75 E. 17 lbs dist. to
 Oak 7 " " 4457.13 "
 80.00 Set a post for the co. of Dec 26, 27, 34 185 from which
 Oak 14 in dia beam 8377.7 lbs dist. to,
 Hick 11 " " N 57 E. 33. "
 Land 2nd rate Hill; Timber Oak & Hick

West Return Dec 26 185 J. 3. N.R. 177.
 40.00 A Dogwood 8 in dia stands at the end of the line
 line for the co of J. 2.
 80.00 Set a post for the co of Dec 26, 27, 34 185.

North Return Dec 26 187 J. 3. N.R. 177.
 29.00 To a Poplar 24 in dia stands in the line.
 40.00 A Hick 17 in dia stands for the co of J. 2.
 80.00 Set a post for the co of Dec 26, 33, 26 187 from which,
 Oak 14 in dia beam N 45 E. 20 lbs dist. to
 Elm 7 " " N 57 E. 11 "

I. No 3 N.R. No 177 2nd Mer. Ind.

Land and Timber same as above

West Return Dec 23 186 J. 3. N.R. 177.
 40.00 A Hick 17 in dia stands at the end of the line
 for the co of J. 2.
 80.00 Set a post for the co of Dec 22, 23, 26 187
 Land 2nd rate Hill; Timber Oak & Dogwood &c.

North Return Dec 20 185 J. 3. N.R. 177.
 24.00 To a Hick 24 in dia in the line.
 40.00 Set a post from which,
 Hick 11 in dia beam N 44 E. 18 lbs dist. to,
 Cherry 13 " " N 44 E. 5 "
 22.72 To a Hick 20 in dia in the line.
 50.00 Set a post for the co of Dec 14, 15, 22, 185 from which,
 Sugar 7 in dia beam N 44 E. 16 lbs dist. to,
 Dogwood 7 " " N 57 E. 20 "
 Land soil and timber same as above.

East Return Dec 14 185 J. 3. N.R. 177.
~~40.00 A Hick 11 in dia stands for the co of J. 2~~
 40.00 Set a post.
 48.00 A Hick 11 in dia stands for the co of Dec 14 185 on the South 137 of Harrison's Purchase.
 Land 1st rate soil; Timber Mulberry, Walnut,
 Hackberry, & Oak &c.

West Return Dec 14 185 J. 3. N.R. 177.
 40.00 Set a post for the co.
 81.18 Intersub the A 13 line 50 lbs North of the post end of
 Dec 14 185 183
 Land very bushy Timber Oak & Hick.

North Return Dec 14 185 J. 3. N.R. 177.

J. A. J. A. R. A. J. W. D. M. M. S. S.

18.30 Set apart in Freeman's line from cor. of sec 14 17 18
from which Mulberry 8 in diameter 170 ft. 29 ft. dist
up to cor. Elm 8 " " 151 ft. 27 ft. "
Land rate hill Limb 13 Walnut, Hackberry
Oak &c. December 30. 1806
Auth Between Sec 14 17 18 J. A. J. W. D. M. M. S. S. v. 6000
4000 Set apart from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "
50.00 Set apart from cor. of sec 10 11 14 15 from which
Oak 20 in diameter 165 E. 16 ft. dist. to
Oak 20 " " 176 W. 19 " "
Land very bushy. Limb Oak, Hick.

East Between Sec 11 14 J. A. J. W. D. M. M. S. S. v. 6000
1950 Set apart 13 ft. dist. from
20.00 Set apart from which
30.00 Between the N. W. line 13 ft. dist. of the part of sec
11 12 13 14. Same to the same.

West Between Sec 14 17 J. A. J. W. D. M. M. S. S. v. 6000
40.00 Set apart from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "
50.00 Set apart from cor. of sec 10 11 14 15

Auth Between Sec 11 14 J. A. J. W. D. M. M. S. S. v. 6000
40.00 Set apart from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "
50.00 Set apart from cor. of sec 10 11 14 15 from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "

J. A. J. A. R. A. J. W. D. M. M. S. S.

Same to the same.

East Between Sec 11 14 J. A. J. W. D. M. M. S. S. v. 6000
40.00 Set apart from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "
50.00 Set apart from cor. of sec 10 11 14 15 from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "

West Between Sec 14 17 J. A. J. W. D. M. M. S. S. v. 6000
40.00 Set apart from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "
50.00 Set apart from cor. of sec 10 11 14 15 from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "

Auth Between Sec 11 14 J. A. J. W. D. M. M. S. S. v. 6000
40.00 Set apart from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "
50.00 Set apart from cor. of sec 10 11 14 15 from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "
60.00 Set apart from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "
70.00 Set apart from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "
80.00 Set apart from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "

Auth Between Sec 11 14 J. A. J. W. D. M. M. S. S. v. 6000
40.00 Set apart from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "
50.00 Set apart from cor. of sec 10 11 14 15 from which
Hick 10 in diameter 155 E. 21 ft. dist. to
Oak 15 " " 146 W. 14 " "

T. N. 3. N. R. N. 17. 2nd Mer. Ind.

40.00	Set a post from which, Red Oak 20 in air here. S 37 W. 14 the dist; to, Loc. 24 " " " " A 13 E. 28 " "
69.40	To a W Oak. 24 in air in the line.
80.00	Set a post for the cor of Sec 16. 17. 20 & 21 from which, W Oak 12 in air here. S 2 E. 30 the dist; to, Red Oak. 24 " " " " S 25 E. 41 " " Sends 1st rate hill; Limb to Sugar, Beak & Oak.
West	Between Sec 16 & 21. T. 3. N. R. 17.
40.00	Set a post from which, W Oak 20 in air here. S 30 E. 24 the dist; to, Sugar. 12 " " " " S 30 W. 20 " "
80.00	To the post cor of Sec 16. 17. 20 & 21. Sends 1st & 2nd rate; Beak & Oak Hill.
North	Between Sec 16 & 17. T. 3. N. R. 17.
37.60	To a Hick 24 in air in the line.
40.00	Set a post from which, Sugar 12 in air here. S 37 W. 32 the dist; to, Loc. 14 " " " " A 87 E. 33 " "
61.00	To a Poplar. 30 in air in the line.
72.00	Intersect the South Boundary of Harrison's purchase or Abram's line and set a post for the cor of Grad. Sec 16 & 17 from which, W Oak. 6 in air here. S 38 E. 32 the dist; to, Beak. 6 " " " " S 37 W. 35 " " Sends 2nd rate upland; Limb to Beak, Sugar, &c.
North	Between Sec 16 & 17. T. 3. N. R. 17.
40.50	To post cor.
80.00	Set a post in the line for the cor of Sec 8. 9. 16 & 17 from

T. N. 3. N. R. N. 17. 2nd Mer. Ind.

	which, Poplar. 10 in air here. A 8 E. 36 the dist; to, Sugar. 12 " " " " S 27 W. 41 " " Sends nothing Limb to Oak, Hick & Poplar.
East	On a Random line between Sec 9 & 16. T. 3. N. R. 17.
40.00	Set a temporary post.
81.25	Intersect the N 15 line. 8 lbs South of the post cor of Sec 9. 10. 15 & 16. Sends the same.
West	On the line between Sec 9 & 16. T. 3. N. R. 17.
40.60	Set the temporary post on the line at the cor of Sec 9 from which, W Oak. 12 in air here. East. 64 the dist; 81.25 To the post cor of Sec 8. 9. 16 & 17.
North	Between Sec 8 & 9. T. 3. N. R. 17.
40.00	Set a post from which, W Oak. 20 in air here. S 37 W. 14 the dist; to, Sugar. 6 " " " " A 67 E. 17 " "
80.00	Set a post for the cor of Sec 4. 5. 8 & 9 from which, Elm. 8 in air here. S 3 E. 11 the dist; to, W Oak 12 " " " " North 21 " " Sends the same.
East	On a Random line between Sec 4 & 9. T. 3. N. R. 17.
40.00	Set a temporary post.
80.26	Intersect the N 15 line. 15 lbs South of the cor of Sec 3. 4. 7 & 16. Sends the same.
West	On the line between Sec 4 & 9. T. 3. N. R. 17.
40.15	Set the temporary post on the line at the cor of Sec 4 from which, W Oak 30 in air here. S 30 W. 16 the dist; and a Walnut. 12 " " " " A 65 E. 12 " "
80.26	To the cor of Sec 4. 5. 8 & 9.

T. N. 3 N. R. N. 177 2nd Mer. Ind.

North	Return Sat 11 45. T. 3. N. R. 177.
40.00	Set a post from which, Oak 24 in dia. here. N 61 E 20 the dist, to, Sugar 30 " " S 37 W 32 " "
81.00	Set out the N boundary 15 the East. of the post on of sat. 32 43. T. 4. N. R. 177 and set a post on 45 from which, Oak 10 in dia. here. S 70 E 3 the dist, to, Oak 30 " " S 19 W 18 " "
	Land very good for farming; Timber Hick Oak & Sugar.
North	Return Sat 31 30 T. 3. N. R. 177.
28.00	To a Post 12 in dia. in the line.
40.00	Set a post from which, Sugar 12 in dia. here. S 44 W 28 the dist, to, Oak 12 " " S 44 E 33 " "
49.00	To a Honey Locust 15 in dia. in the line.
80.00	Set a post from the corner of sat. 29.30.31 & 32 from which, Logwood 7 in dia. here. S 63 W 15 the dist, to, Sugar 7 " " S 45 E 32 " "
	Land 1st rate hill; Timber Sugar, Walnut, Oak, honey. Cherry, &c.
West	Return Sat 29 30 T. 3. N. R. 177.
40.00	Set a post from which, Oak 12 in dia. here. N 47 W 20 the dist, to, Logwood 7 " " S 4 E 9 " "
80.00	Set the post on of sat. 29.30.31 & 32 Land 2nd rate Hill Timber same as above.
West	Return Sat 30 31 T. 3. N. R. 177.
40.00	Set a post from which, Oak 6 in dia. here. N 40 W 20 the dist, to, Logwood 8 " " S 52 E 23 " "

Comp.

T. N. 3 N. R. N. 177 2nd Mer. Ind.

	Oak 7 in dia. here. S 57 W 8 the dist, to, Oak 7 " " N 36 E 21 " "
80.00	Set the post on of sat. 25 26. T. 3. N. R. 177 Land 1st rate Hill Timber Walnut, Sugar, Oak, &c.
North	Return Sat 29 30 T. 3. N. R. 177.
28.50	To a Oak. 24 in dia. in the line.
40.00	Set a post from which, Oak 8 in dia. here. N 58 E 13 the dist, to, Sugar 7 " " S 57 W 8 " "
80.00	Set a post from the corner of sat. 29.30.31 & 32 from which, Red Oak 10 in dia. here. N 37 W 36 the dist, to, Sugar 12 " " N 34 E 50 " "
	Land 2nd rate timber same as last note.
West	Return Sat 20 29 T. 3. N. R. 177.
40.00	Set a post from which, Oak 12 in dia. here. N 57 E 15 the dist, to, Logwood 6 " " S 7 W 10 " "
80.00	Set a post from the corner of sat. 19.20.29 & 30 Land 1st rate Hill; Timber Oak & Oak,
West	Return Sat 19 30 T. 3. N. R. 177.
40.00	Set a post from which, corner marked on a Red Oak 20 in dia.
80.00	Set out the Range line at the corner of sat. 24 25. T. 3. N. R. 177. Land 3rd rate Hill; Timber Cherry, Oak,
North	Return Sat 19 30 T. 3. N. R. 177.
24.00	To a Oak. 30 in dia. in the line.
40.00	Set a post from which, Oak 6 in dia. here. N 40 W 20 the dist, to, Logwood 8 " " S 52 E 23 " "

J. A. 3. A. R. A. 1770th Mm. Ind.

80,00	Reg. Oak 20 in dia: here. 68 N. 42 W. dist; Set at the Range line at West Bend 7 at the Post corner 12413 J. 3. A. R. 1770 th . Lands 3 rd Rate Buck & Oak Hills.
East 150 40,00 80,00	On a Random line between Sur 578 J. 3. A. R. 1770 th To a Rock 100 yds. N. corner S. W. Set a timber pole at Intersect the A 15 line 45 yds. North of the post corner Sur 4. 5, 819 Lands rolling timber land, Sugar & Poplar.
West 40,00 80,00	On the line between Sur 578 J. 3. A. R. 1770 th . Set a post at the line line at the corner on the line from which, Nick 18 in dia: here. N 6. 8 W. dist; maple 10 " " " 50 N. 18 W. " To the corner 5. 6. 78.
West 40,00 84,25	Between Sur 617 J. 3. A. R. 1770 th . Set a post from which, Oak 20 in dia: here. N 3/4 E. 20 W. dist; 8; Maple 10 " " " N 79 N. 6 " " Intersect the West Bend 7 100 yds. South of the post corner 1712 J. 3. A. R. 1770 th and set a post from the corner 617 from which, Oak 20 in dia: here. S 3/4 E. 22 W. dist; 8; Sugar 10 " " " N 68 E. 21 " " Lands very bushy.
North 40,00	Between Sur 578 J. 3. A. R. 1770 th . Set a post from which, Buck 12 in dia: here. N 77 3/4 W. dist; 8; Oak 19 " " " S 30 E. 17 " "

J. A. 3. A. R. A. 1770th Mm. Ind.

80,30 Intersect the A. Bend 7 192 W. dist of the post corner
Sur 31 130 J. 4. A. R. 1770th and set a post from the corner
a 5th. from which,
Oak 13 in dia: here. S 46 E. 21 W. dist; 8;
Oak 20 " " " N 78 3/4 W. 30 " "
Lands the same.

The part of this Township South of Hamans line
was Surveyed by E. W. Tupper & Aug. Stone
Dep't Surveyor
The part South of Hamans line, in Harrison's Purchase
was Surveyed by
Arthur Harris
Dep't Surveyor

Comps?

I certify that the foregoing Transcript of the field
notes of Township A. B. North of Range No. 1 West
of the 2nd Principal Meridian in Indiana has been
Compared with the Original notes in this Office &
found to be correct.
Surveyor General's Office
Cincinnati, Oct. 13, 1841

Surveyor General